

Strength That Goes the  
**Extra Mile.**

Advanced retreading and rubber technologies built for heavy-duty performance, long-lasting reliability, and cost-effective value.



**30+**  
Years of  
Experience

**100+**  
Happy Clients

**350+**  
Tons Production  
Capacity

## About Us

---

An ISO 9001:2015 Certified Company Started in 1996 in Coimbatore District, Tamil Nadu, India For a start, established a strong presence in Indian market for Precured Tread Rubber, Pre-cured Bonding Gum and Conventional Tread Rubber achieved a significant presence in Pan-India markets in quick time, poised for a dominant position have put in place world class manufacturing, testing, pre-sale and post-sale facilities to become a global player.

Megarub Industries is a global leader in manufacture of Tire Retreading Materials such as Precured Tread Rubber, Precured Bonding Gum, Conventional Tread Rubber, Cushion Gum, Under Tread Strips, Submersible Winding Compound and Vulcanizing Rubber for tubes. As a proven partner focused on building tomorrow's enterprise, Megarub enables clients across PAN INDIA to outperform the competition and stay ahead of the innovation curve.

# What We Do

---



## Environment-friendly & Sustainable Manufacturing

We use advanced tyre-retreading technology that lowers carbon footprint by up to 73%. Our eco-focused process reduces waste, saves natural resources, and delivers durable, high-performance retread tyres.



## Advanced Rubber Bonding Solution

Our specialized bonding technology ensures stronger adhesion, improved durability, and consistent performance for all retread applications while also contributing to reduced carbon impact.



## Bonding Gum

Bonding Gum offers superior tack and reliable adhesion between the tyre casing and tread rubber. Its heat-resistant formula ensures long-lasting bond strength and safe, stable tyre performance.



## Tread Rubber

Tread rubber is engineered for uniform performance, reduced wear, and extended mileage. Designed with advanced mixing and extrusion technology, it ensures smooth, efficient, and high-quality retreading.

# Our Products



## PRE-CURED BONDING GUM

Made from super high quality polymer developed with technology for superior tackiness and best shelflife. We manufacture Precured Bonding Gum at various curing temperature i.e. : 99°C, 125°C and 150°C suitable for both electric and steam chambers.

Thickness : 1.2mm

Width : 220mm, 230mm or tailor made for customer specification.

Packing : Available in 5kgs rolls in to 45kgs of 1 bundle.


## UNDER TREAD STRIPS

Used in conventional and off the road tire retreads

Thickness : 2mm and 4mm

Packing : Available in 5 kgs rolls in to 45 kgs of 1 bundle.





## CUSHION GUM

Used in conventional retreading. Cushion Gum is a thin sheet of rubber used for Conventional or Hot Process Tire Retreading.

Thickness : 0.8mm

Width : 220mm

Packing : Available in 5 kgs rolls in to 45 kgs of 1 bundle.

## SUBMERSIBLE PUMP COMPOUND


It has good self aging properties which gives longer storage life. Having controlled mooney viscosity with the results it gives a better stretch and good adhesion at the time of insulation.

Width : 220mm

Thickness : 0.8mm

Weight : 1.5 kg per roll

Packing : 1.5 kgs X 20 Rolls 30 kgs per master Box  
or as specified at customer end.





## CAMEL BACK RUBBER

Special compound designed to obtain exceptional mileage and shelf life. Available in sizes as per customer requirement. Used in conventional type of retreading. With sizes suitable for remolding bigger OTR tires such as JCB, Dumpers, Tractor Tires, truck tires, LCV's and smaller tire sizes.

## ROPE RUBBER

For use in retreads to have better filling and tire repair operations with an extruder gun.




## TBN AJAX

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	4.0	12.0	129	11.000
4.50 x 10	140	3.0	9.0	60	5.000
4.50 x 10	102	3.0	9.0	60	2.200




## TBN ALD

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	4.0	13.0	129	11.300
10.00 X 20	215	3.5	12.5	129	10.800
10.00 X 20	220	4.0	14.0	129	11.500
10.00 x 20	220	4.0	13.0	129	11.400
11.00 X 20	220	4.0	13.0	133	11.800
11.00 X 20	230	4.0	13.0	133	13.000




## TBN APPOLO AMAR

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	4.5	12.5	129	11.500



## TBN JUH 5

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	215	3.5	12.0	129	10.500
10.00 x 20	220	3.5	12.0	129	11.000




## TBN ASTRO

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
F.78 x 50	126	3.5	12.5	66	2.300
F.78 x 50	126	3.5	12.5	68	2.400
F.78 x 50	155	3.5	12.5	88	5.900




## TBN EAGLE

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
145R12	128	3.5	9.0	67	2.800
7.8 x 15	128	3.5	9.0	82	3.400



## TBN JET TRACK

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	3.5	12.5	129	11.800
10.00 x 20	205	3.5	12.5	129	11.000
10.00 x 20	205	3.5	12.5	129	10.800
8.25 x 20	170	3.5	11.0	119	7.900
8.25 x 16	170	3.5	11.0	104	6.900
7.50 x 16	160	3.5	14.0	99	7.300



## TBN ENDURA AUTO

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
4.00 x 8	84	3.0	9.0	50	1.200



## TBN JKR

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	220	4.5	14.0	129	11.600
10.00 x 20	210	4.5	13.5	127	11.200
10.00 x 20	215	3.5	12.7	128	11.200



## TBN M 24

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	215	3.5	12.0	129	10.000



## TBN LUG MASTER

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	4.0	15.0	130	13.300
10.00 x 20	210	4.0	13.5	129	12.000
10.00 x 20	205	4.0	13.0	128	10.900



## TBN LUG RADIAL 160

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
7.50 x 16	160	3.0	11.0	99	5.400
7.50 x 16	160	3.0	11.0	92	5.000



## TBN M10 RADIAL

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	215	4.0	13.5	129	11.000



## TBN M11

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	4.0	13.0	128	10.500
8.25 x 20	170	3.5	12.5	118	8.000
8.25 x 16	170	3.5	12.5	104	7.000



## TBN M16

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	230	3.5	14.0	130	12.400
10.00 x 20	240	3.5	14.0	130	12.900
10.00 x 20	250	3.5	14.0	130	13.400



## TBN M31

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	3.0	13.0	129	11.800
10.00 x 20	240	4.0	14.0	130	11.500




## TBN M RIB

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	4.00	13.0	128	11.500
10.00 x 20	160	3.00	11.0	99	5.700




## TBN ARF 170

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	170	4.0	15.0	99	8.000
10.00 x 20	170	4.0	15.0	105	8.300
10.00 x 20	170	4.0	15.0	118	8.500



## TBN MRF BST RIB

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	4.0	13.0	128	10.900



# TBN MAXIMUS

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	3.5	13.5	128	10.300
10.00 x 20	205	4.0	12.5	129	11.000
10.00 x 20	210	4.0	12.5	129	11.300
10.00 x 20	210	4.0	14.0	129	11.500
10.00 x 20	215	4.0	13.5	129	11.700
10.00 x 20	220	4.0	13.5	129	11.700
11.00 x 20	220	4.0	13.5	133	12.000
11.00 x 20	230	4.0	13.0	133	12.500
10.00 x 20	230	4.0	13.0	129	12.300
10.00 x 20	240	4.0	13.0	129	12.500
10.00 x 20	240	4.0	13.0	136	13.200
9.00 x 20	190	4.0	14.0	124	10.200
10.00 x 20	190	4.0	14.0	127	10.600
7.50 x 16	168	3.5	12.0	99	6.100
8.25 x 16	168	3.5	12.0	104	6.400
8.25 x 20	168	3.5	12.0	118	7.000



## TBN MVN

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	220	3.3	12.7	129	11.500



## TBN R2

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	220	4.0	13.5	129	11.500



## TBN R4

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
7.00 R15	183	3.0	9.0	92	5.000




## TBN ROAD STAR

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	4.0	13.0	128	11.200
10.00 x 20	205	4.0	14.0	129	10.800
10.00 x 20	205	4.0	14.0	128	10.000
10.00 x 20	205	4.0	16.0	127	12.000
9.00 x 20	188	4.0	13.0	125	9.500
9.00 x 16	188	4.5	13.0	112	9.100




## TBN MRF S3C8

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	3.5	12.5	129	11.200
10.00 x 20	215	3.5	13.0	129	11.000
10.00 x 20	220	3.5	13.0	129	11.700
10.00 x 20	230	3.5	12.5	129	11.900



## MRF SUPER LUG

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
825/16	168	3.0	17.0	99	8.000
825/20	168	3.0	17.0	103	8.300
825/20	168	3.0	17.0	118	9.600



## TBN SEMI LUG

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	3.5	11.5	128	10.900
10.00 x 20	208	3.5	13.5	127	11.500



## TBN SM ULTRA

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
7.50 x 16	160	3.5	12.0	99	6.000



## TBN VIKING

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	3.5	12.5	129	10.700
155 x 80 x 12	124	3.5	12.5	66	3.150



## TBN VK

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	3.5	12.5	129	10.000




## TBN Z LUG 205

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	205	4.0	13.0	128	11.000



## CASMIC RADIAL

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
155/80D12	125	3.0	9.5	66	2.300
155/80D12	125	3.0	9.5	133	4.700



## TBN ZT

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	3.5	13.5	129	11.800



## TBN TITTAN

Tyre Size	Base Width (MM)	Base Thickness	Tread Depth (MM)	Length in Inch	Approximate Weight (KG)
10.00 x 20	210	4.0	15.5	130	11.700
10.00 x 20	220	4.0	14.5	130	11.900
10.00 x 20	230	4.0	14.0	130	12.200





## MEGARUB INDUSTRIES

Office : No.1, Srihari Nivas, Indira Nagar, Sungam, Coimbatore-641045  
Factory : Site No. A25 & A26, Sulur Industrial Estate, Kadambadi Village, Sulur,  
Coimbatore - 641402 Tamil Nadu, India.

 +91 98940 40006 | +91 99523 40006  megarubindustries@gmail.com  www.megarub.in